








Hardware

iBeacon Tags:

			
Ultrathin size: 46×25×3 mm Battery type: CR2016 Battery life: up to 12 months Microcontroller: nRF 51.822 Bluetooth: 4 Range: up to 50 meters Protocol: iBeacon, Eddystone Accelerometer: no Temperature sensor: no	Size: 47×35×9 mm Battery type: CR2450 Battery life: up to 24 months Microcontroller: nRF 51.822 Bluetooth: 4 Range: up to 50 meters Protocol: iBeacon, Eddystone Accelerometer: no Temperature sensor: no	Ultrathin size: 46×25×3 mm Battery type: CR2016 Battery life: up to 12 months Microcontroller: nRF 52.811 Bluetooth: 5 Range: up to 50 meters Protocol: iBeacon, Eddystone Accelerometer: yes Temperature sensor: yes	Size: 47×35×9 mm Battery type: CR2450 Battery life: up to 24 months Microcontroller: nRF 52.811 Bluetooth: 5 Range: up to 50 meters Protocol: iBeacon, Eddystone Accelerometer: yes Temperature sensor: yes
Price: 16 \$	Price: 18 \$	Price: 18 \$	Price: 20 \$

		
<p>Smart Badge</p> <p>Battery type: CP</p> <p>Battery life: up to 48 months</p> <p>Microcontroller: nRF 52.811</p> <p>Bluetooth: 5</p> <p>Range: up to 50 meters</p> <p>Protocol: iBeacon, Eddystone</p> <p>Accelerometer: yes</p> <p>Temperature sensor: yes</p>	<p>Restaurant Locator Tent</p> <p>Battery type: CR2450</p> <p>Battery life: up to 24 months</p> <p>Microcontroller: nRF 52.811</p> <p>Bluetooth: 5</p> <p>Range: up to 50 meters</p> <p>Protocol: iBeacon, Eddystone</p> <p>Accelerometer: yes</p> <p>Temperature sensor: yes</p>	<p>IP67 tags</p> <p>Battery type: CR2016/CR2450</p> <p>Battery life: up to 24 months</p> <p>Microcontroller: nRF 52.811</p> <p>Bluetooth: 5</p> <p>Range: up to 50 meters</p> <p>Protocol: iBeacon, Eddystone</p> <p>Accelerometer: yes</p> <p>Temperature sensor: yes</p>
<p>Price: 22 \$</p>	<p>Price: 34 \$</p>	<p>Price: 18 \$</p>

IBeacon receivers:

	
<p>iBeacon receiver: Price: 87 \$</p>	<p>Stand-alone repeater: Price: 34 \$</p>